



MODIFICATIONS TO ROAD RACE RULE BOOK 2007

Q-83 (b) North America Snell M2000 (*effective January 1, 2008 – Snell M2005*)

Q-83 (q) Sidecars
Vehicles with three wheels making two or three tracks on the ground in the direction of forward travel, with a permanently attached Sidecar forming a complete integral unit.

If three tracks are made, the centre line of the two tracks made by the motorcycle wheels must not be more than 75mm apart. A track is determined by the longitudinal centre line of each of the vehicle's wheels in the direction of forward travel.

Bureau National Office

Box 448
Hamilton, Ontario
L8L 8C4

605 James St. N.
4th Floor
Hamilton, Ontario
L8L 1J9

Telephone
(905) 522-5705

Fax
(905) 522-5716

Web
www.canmocycle.ca

Affiliated with
Affiliée à la
Fédération
Internationale
De Motocyclisme
and/et
North American
Motorcycle Union

MINI ROAD RACING

Definition: Competition on paved closed course circuits or parking lots of maximum 1,600 metres in length. All Road Race regulations apply unless otherwise specified in the following rules.

Q-200 (a) Rider Classes
Youth
Novice
Expert
Women

Q-200 (b) Machine Classes
i) Youth 7 – 10
ii) Novice 10 – 14
iii) Pocket Bike Stock up to 40cc
iv) Pocket Bike Open up to 50cc
v) Spec Supersport
vi) Formula Supersport
vii) Spec Thunder
viii) Formula Thunder
ix) Spec Motard
x) Formula GP

Q-201 Machine Specifications

- (a) **Pocket Bike Stock 40cc**
i. All spec bikes allowed (stock, no changes to how the bike was manufactured, tires and reeds being the exception)
ii. Chinese bikes can be modified with no restrictions except original engine cases and chassis to be retained
- (b) **Pocket Bike Open 50cc**
i. Limited to 50cc
ii. No restrictions on modifications



Q201 Continued...

**Bureau
National Office**

Box 448
Hamilton, Ontario
L8L 8C4

605 James St. N.
4th Floor
Hamilton, Ontario
L8L 1J9

Telephone
(905) 522-5705

Fax
(905) 522-5716

Web
www.canmocycle.ca

Affiliated with
Affiliée à la
Fédération
Internationale
De Motocyclisme
and/et
North American
Motorcycle Union

(c) **Spec Supersport Class**

- i. Factory built; Engine capacity either maximum 50cc single cylinder liquid cooled 2 stroke or maximum 80cc single cylinder air cooled 2 stroke or maximum 125cc single cylinder air cooled 4 stroke. Only OEM oversized piston sizes or equivalent permitted.
- ii. Sportbike style frame only No engine, chassis, carburetor or exhaust pipe modifications permitted. 10" to 17" wheel bikes allowed.

(d) **Formula Supersport Class**

- i. Engine capacity either maximum 64cc single cylinder liquid cooled 2 stroke or maximum 150cc single cylinder air cooled 4 stroke
- ii. Sportbike style frame only. No restrictions on modifications. 10" to 17" wheel bikes allowed

(e) **Spec Thunder Class**

- i. Restricted to maximum single cylinder 125cc 4 stroke motorcycles. All original equipment, manufacturer components and engines must be stock. Only OEM oversized piston sizes or equivalent permitted.
- ii. The following modifications are permitted:
 - ii.1.1 Seat modifications
 - ii.1.2 The only suspension changes that are permitted are the installation of spacers/tubing, springs and fork oil to stiffen the suspension.
 - ii.1.3 External gear changes allowed
- iii. The following aftermarket parts are permitted:
 - iii.1.1 D.O.T. tires on stock hubs and rims
 - iii.1.3 Heavy duty spokes

(f) **Formula Thunder Class**

- i. Engine capacity either maximum 150cc single cylinder air cooled 4 stroke or maximum 65cc liquid cooled 2 stroke.
- ii. No restrictions on modifications.
- iii. Must use approved D.O.T. tires, race compound tires or slicks.
- iv. Must use motocross style frame.

(g) **Spec Motard Class**

- i. Engine capacity either maximum 85cc single cylinder 2 stroke or 150cc single cylinder liquid cooled 4 stroke or 200cc single cylinder air cooled 4 stroke. Only OEM oversized piston sizes or equivalent permitted.
- ii. No engine modifications. Aftermarket pipe/silencer allowed.
- iii. 17" wheel conversion with oversized brake rotor allowed
- iv. External gear changes only
- v. Must use motocross style frame
- vi. Must use approved D.O.T. tires, race compound tires or slicks.
- vii. Stock suspension components with internal modifications permitted.



(h) **Formula GP**

- i. Engine capacity either maximum 93cc single cylinder 2 stroke or 150cc single cylinder liquid cooled 4 stroke or 200cc single cylinder air cooled 4 stroke.
- ii. No restrictions on modifications.
- iii. Must use approved D.O.T. tires, race compound tires or slicks

Q-202 Licensing

- (a) Youth ages minimum 7 maximum 10. Maximum engine size limit 80cc and restricted to mini motorcycles only.
- (b) All others minimum 11.

Age Definitions

Minimum age is based on the birthday of the rider

Maximum is the end of the year in which the rider reaches the age

**Bureau
National Office**

Box 448
Hamilton, Ontario
L8L 8C4

605 James St. N.
4th Floor
Hamilton, Ontario
L8L 1J9

Telephone
(905) 522-5705

Fax
(905) 522-5716

Web
www.canmocycle.ca

Affiliated with
Affiliée à la
Fédération
Internationale
De Motocyclisme
and/et
North American
Motorcycle Union